

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.	: 7,485,089 B2	Confirmation No.	: 8236
Inventor	: Lilip Lau et al.		
Issued	: February 3, 2009		
Appl. No.	: 10/656,722		
Art Unit	: 3735		
Examiner	: John P. Lacyk		
Title	: CARDIAC HARNESS		
Docket No.:	: PARCR 66117		
Customer No.	: 24201		

Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

Dear Sir:

The above-identified patent application file has been found to have the errors set forth in the enclosed Certificate of Correction. It is noted that the one applicant error that appear in the above-identified patent is of a clerical, typographical or minor nature or character, as more fully described below.

The errors are verifiable in the patent application file as follows:

ERRORS

Title Page, (75) Inventors, delete "Sieu Dong" and insert --Sieu Duong--.

Column 5, line 67, after "is" delete "accurate" and insert --arcuate--.

VERIFICATION

PTO error. See Updated Filing Receipt dated 4/09/04.

Applicant's error.

Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. It is requested that a Certificate of Correction be issued and returned to us. If any fees are needed, please charge Deposit Account No. 06-2425.

Attached hereto is Form PTO/SB/44 which is suitable for printing.

Date: April 21, 2009

Respectfully submitted,

FULWIDER PATTON LLP

By: /michael j. moffatt/
Michael J. Moffatt
Registration No. 39,304

MJM:he
FULWIDER PATTON LLP
Howard Hughes Center
6060 Center Drive, Tenth Floor
Los Angeles, CA 90045
Telephone: (310) 824-5555
Facsimile: (310) 824-9696
Customer No. 24201

338126.1

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,485,089 B2

Page 1 of 1

APPLICATION NO. : 10/656,722

ISSUE DATE : February 3, 2009

INVENTOR(S) : Lilip Lau et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, (75) Inventors, delete "Sieu Dong" and insert --Sieu Duong--.

Column 5, line 67, after "is" delete "accurate" and insert --arcuate--.

338128.1

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Michael J. Moffat, Esq.
Fulwider Patton LLP
6060 Center Drive, 10th Floor
Los Angeles, CA 90045

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, PO Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2